

TOWN OF OAKLAND
Board Meeting 02/19/2026
BOARD OF MAYOR AND ALDERMAN

January 2026 FINANCIALS

| | | |
|---------------------|-----------------------------|-----------------|
| GENERAL FUND | PROPERTY TAXES COLLECTED | \$ 202,119.00 |
| | TOTAL MONTHLY REVENUES | \$ 1,526,050.00 |
| | TOTAL MONTHLY EXPENDITURES | \$ 1,046,709.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ 479,341.00 |
| | NET GAIN OR LOSS YTD | \$ (882,484.00) |

| | | |
|------------------------------|-----------------------------|--------------|
| FUTURE FIRE FEES FUND | TOTAL REVENUES | \$ 1,193.00 |
| | TOTAL EXPENDITURES | \$ - |
| | NET GAIN OR LOSS CURR MONTH | \$ 1,193.00 |
| | NET GAIN OR LOSS YTD | \$ 79,283.00 |

| | | |
|------------------|-----------------------------|----------------|
| DRUG FUND | TOTAL REVENUES | \$ 1,068.00 |
| | TOTAL EXPENDITURES | \$ 98,062.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ (96,994.00) |
| | NET GAIN OR LOSS YTD | \$ (88,457.00) |

| | | |
|------------------------|-----------------------------|--------------|
| STREET AID FUND | TOTAL REVENUES | \$ 26,604.00 |
| | TOTAL EXPENDITURES | \$ 531.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ 26,073.00 |
| | NET GAIN OR LOSS YTD | \$ 11,860.00 |

| | | |
|-------------------------|-----------------------------|---------------|
| SOLID WASTE FUND | TOTAL REVENUES | \$ 135,425.00 |
| | TOTAL EXPENDITURES | \$ 120,306.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ 15,120.00 |
| | NET GAIN OR LOSS YTD | \$ 66,112.00 |

| | | |
|-------------------|---------------------------------|-----------------|
| WATER FUND | TOTAL REVENUES | \$ 296,346.00 |
| | TOTAL EXPENDITURES | \$ 114,132.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ 182,215.00 |
| | NET GAIN OR LOSS YTD | \$ 1,216,617.00 |
| | NET GAIN/LOSS INCL DEPRECIATION | \$ 274,759.00 |

| | | |
|-------------------|---------------------------------|-----------------|
| SEWER FUND | TOTAL REVENUES | \$ 391,320.00 |
| | TOTAL EXPENDITURES | \$ 726,781.00 |
| | NET GAIN OR LOSS CURR MONTH | \$ (335,462.00) |
| | NET GAIN OR LOSS YTD | \$ 1,223,280.00 |
| | NET GAIN/LOSS INCL DEPRECIATION | \$ 520,616.00 |

| General Fund | Jul - Sep | | Oct - Dec | | Jan - Mar | | Apr - Jun | | FY 2025-26 | | Over/Under | |
|---------------------------------------|-------------|-----------|-----------|-------|-----------|-----------|-----------|--------|------------|-------------|-------------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | Mar. | QTR 3 | QTR 4 | ADJMTS | YTD | BUDGET | Budget | Budget |
| Total ADMINISTRATIVE REVENUE | 2,127,875 | 4,239,935 | 1,398,837 | - | - | 1,398,837 | - | - | 7,766,648 | 11,338,402 | (4,127,954) | |
| TOTAL PERMIT REVENUE | 145,682 | 111,402 | 67,775 | - | - | 67,775 | - | - | 324,838 | 457,250 | (132,412) | |
| TOTAL POLICE DEPT REVENUE | 164,819 | 183,440 | 59,437 | - | - | 59,437 | - | - | 387,896 | 660,200 | (272,504) | |
| TOTAL TRANSFERS | - | - | - | - | - | - | - | - | - | - | - | |
| TOTAL PARKS & REC REVENUE | 2,438,355 | 4,514,777 | 1,526,060 | - | - | 1,526,049 | - | - | 8,479,181 | 13,056,862 | (4,532,871) | |
| EXPENDITURES | | | | | | | | | | | | |
| TOTAL GEN. GOVERNMENT | 260,311 | 300,324 | 82,137 | - | - | 82,137 | - | - | 641,539 | 1,429,840 | (788,301) | |
| Total Police Dept Expenditures | 827,270 | 869,106 | 384,453 | - | - | 384,453 | - | - | 2,070,831 | 3,464,072 | (1,393,241) | |
| Total Fire Expenditures | 518,947 | 552,498 | 145,519 | - | - | 145,519 | - | - | 1,216,966 | 2,329,849 | (1,101,236) | |
| Total Planning Expenditures | 77,941 | 46,029 | 17,329 | - | - | 17,329 | - | - | 141,299 | 342,347 | (201,048) | |
| Total Building and Codes Expenditures | 131,361 | 98,221 | 26,952 | - | - | 26,952 | - | - | 266,533 | 476,902 | (219,369) | |
| Total Public Works Dept Expenditures | 451,655 | 196,779 | 80,773 | - | - | 80,773 | - | - | 731,207 | 2,015,468 | (1,284,261) | |
| Total Parks and Rec Expenditures | 1,198,795 | 2,804,954 | 309,544 | - | - | 309,544 | - | - | 4,313,283 | 5,198,640 | (885,347) | |
| TOTAL EXPENDITURES | 3,466,279 | 4,859,913 | 1,046,709 | - | - | 1,046,709 | - | - | 9,371,666 | 15,256,118 | (5,872,803) | |
| PROFIT/LOSS | (1,027,924) | (345,136) | 479,341 | - | - | 479,340 | - | - | (892,484) | (2,200,266) | (1,307,782) | |

| Future Fire Fees Revenues and Expense | QTR 1 | | QTR 2 | | QTR 3 | | QTR 4 | | YTD | | Budget | |
|---------------------------------------|--------|--------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | QTR 3 | QTR 4 | QTR 3 | QTR 4 | YTD | BUDGET | Budget | Budget |
| Total Revenue | 33,404 | 44,687 | 1,193 | - | - | 1,193 | - | - | 79,283 | 50,000 | 29,283 | |
| Total Expenditures | - | - | - | - | - | - | - | - | - | - | - | |
| PROFIT/LOSS | 33,404 | 44,687 | 1,193 | - | - | 1,193 | - | - | 79,283 | 50,000 | 29,283 | |

| Water Revenues & Expense | QTR 1 | | QTR 2 | | QTR 3 | | QTR 4 | | YTD | | Budget | |
|---------------------------|---------|---------|---------|-------|-------|---------|-------|-------|-----------|-------------|-------------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | QTR 3 | QTR 4 | QTR 3 | QTR 4 | YTD | BUDGET | Budget | Budget |
| Total Revenue | 987,430 | 917,141 | 296,346 | - | - | 296,346 | - | - | 2,200,918 | 2,974,732 | (851,163) | |
| Total Expenditures | 486,868 | 383,301 | 114,132 | - | - | 114,132 | - | - | 984,301 | 4,942,311 | (3,958,010) | |
| Total Depreciation | - | - | - | - | - | - | - | - | 941,860 | 941,860 | - | |
| PROFIT/LOSS | 500,562 | 533,840 | 182,214 | - | - | 182,214 | - | - | 274,759 | (2,909,439) | 3,006,848 | |

| Sewer Revenues & Expense | QTR 1 | | QTR 2 | | QTR 3 | | QTR 4 | | YTD | | Budget | |
|---------------------------|-----------|-----------|-----------|-------|-------|-----------|-------|-------|-----------|-----------|-------------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | QTR 3 | QTR 4 | QTR 3 | QTR 4 | YTD | BUDGET | Budget | Budget |
| Total Revenue | 1,087,836 | 1,701,580 | 391,320 | - | - | 391,320 | - | - | 3,180,736 | 5,368,080 | (2,187,346) | |
| Total Expenditures | 952,523 | 278,150 | 726,781 | - | - | 726,781 | - | - | 1,957,455 | 3,802,897 | (1,845,442) | |
| Total Depreciation | - | - | - | - | - | - | - | - | 702,663 | 702,663 | - | |
| PROFIT/LOSS | 135,312 | 1,423,430 | (335,462) | - | - | (335,462) | - | - | 520,617 | 862,520 | 341,903 | |

| Solid Waste Revenue and Expense | Jul - Sep | | Oct - Dec | | Jan - Mar | | Apr - Jun | | FY 2025-26 | | Over/Under | |
|---------------------------------|-----------|---------|-----------|-------|-----------|---------|-----------|--------|------------|-----------|------------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | Mar. | QTR 3 | QTR 4 | ADJMTS | YTD | BUDGET | Budget | Budget |
| Total Revenue | 426,241 | 428,980 | 135,426 | - | - | 135,426 | - | - | 985,846 | 1,692,469 | (702,823) | |
| Total Expenditures | 402,617 | 400,611 | 120,306 | - | - | 120,306 | - | - | 923,534 | 1,671,598 | (748,064) | |
| PROFIT/LOSS | 22,624 | 28,369 | 15,120 | - | - | 15,120 | - | - | 66,112 | 20,871 | 45,241 | |

| Street Aid Revenues and Expense | Jul - Sep | | Oct - Dec | | Jan - Mar | | Apr - Jun | | FY 2025-26 | | Over/Under | |
|---------------------------------|-----------|--------|-----------|-------|-----------|--------|-----------|--------|------------|---------|------------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | Mar. | QTR 3 | QTR 4 | ADJMTS | YTD | BUDGET | Budget | Budget |
| Total Revenue | 84,566 | 82,936 | 26,604 | - | - | 26,604 | - | - | 194,508 | 364,000 | (169,494) | |
| Total Expenditures | 172,648 | 9,567 | 531 | - | - | 531 | - | - | 182,647 | 277,505 | (94,860) | |
| PROFIT/LOSS | (87,582) | 73,369 | 26,073 | - | - | 26,073 | - | - | 11,860 | 86,495 | (74,635) | |

| Drug Fund Revenues and Expense | QTR 1 | | QTR 2 | | QTR 3 | | QTR 4 | | YTD | | Budget | |
|--------------------------------|-------|-------|----------|-------|-------|----------|-------|-------|----------|-----------|----------|--------|
| | QTR 1 | QTR 2 | QTR 1 | QTR 2 | QTR 3 | QTR 4 | QTR 3 | QTR 4 | YTD | BUDGET | Budget | Budget |
| Total Revenue | 3,407 | 5,130 | 1,068 | - | - | 1,068 | - | - | 9,605 | 17,140 | (3,000) | |
| Total Expenditures | - | - | 96,062 | - | - | 96,062 | - | - | 96,062 | 120,000 | (21,938) | |
| PROFIT/LOSS | 3,407 | 5,130 | (96,994) | - | - | (96,994) | - | - | (88,457) | (102,860) | (14,403) | |

**PAGE
INTENTIONALLY
BLANK**

2026 Board Report

| Public Works | January | February | March | April | May | June | July | August | September | October | November | December | Total |
|----------------------------------|---------|----------|-------|-------|-----|------|------|--------|-----------|---------|----------|----------|-------|
| Potholes Patched | 35 | | | | | | | | | | | | |
| Storm Drains Repaired | 1 | | | | | | | | | | | | |
| Street Signs Replaced / Upgraded | 3 | | | | | | | | | | | | |
| Oil Changes/Tire Rotation | 7 | | | | | | | | | | | | |
| Other Mechanical | 8 | | | | | | | | | | | | |
| Storm Debris (Tons) | | | | | | | | | | | | | |
| foam List (LBS) | | | | | | | | | | | | | |
| Crack SEAL (LBS) | | | | | | | | | | | | | |
| Grass \Leaves bags (tons) | 2.67 | | | | | | | | | | | | |
| Bulk Trash | | | | | | | | | | | | | |
| Cans picked up | | | | | | | | | | | | | |
| Cans delivered | | | | | | | | | | | | | |
| Tons of asphalt | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

**PAGE
INTENTIONALLY
BLANK**

Wastewater Department Monthly Report for January 2026

| | |
|---------------------------------------|----------------|
| Total Gallons of Flow Treated | 33.451 Million |
| Average Gallons of Flow Treated | 1.079 Million |
| Daily Maximum Gallons of Flow Treated | 1.718 Million |
| Total Rainfall for the Month | 1.86 Inches |
| Daily Maximum Rainfall | 0.51 Inches |
| Total Violations for the Month | 3 |

The wastewater department fared well during the month of January. We were impacted by the ice event, but only incurred 3 permit violations. When the first wave of weather hit Saturday morning, January 24th, a critical piece of equipment in one of the new treatment basins froze and was inoperable for ~4 days. As residents began dripping their faucets towards the end of the week, flows to the plant increased, which in turn increased the water levels in the basins. Sustained wind gusts coupled with temperatures well below freezing caused the top of the northernmost basin to freeze and impede the decanter. The decanter is the mechanism that removes clean treated water from the basins to the pumps that direct it to the river. When the decanter froze, that basin stopped receiving aeration, and water began to "flow through". This is not an ideal situation, because biological treatment is minimal without air, but physical treatment still occurs via screening, and removal of solids. We utilized a diesel heater to thaw the ice, and when contractors were able to return to the site Wednesday, we got the decanter functioning again. We have developed a plan of action with the contractor to design a wind shield for the decanter gear and motor, and fully drain the grease and replace with a synthetic alternative that can withstand lower temperatures. This incident pushed our entire permit sampling schedule back, and we had to run samples over the weekend to allow the biological process time to recover. Luckily, our permit only requires sampling 5 days per week, with some parameters only required 3 days a week. If our permit were structured differently, we would undoubtedly have incurred more permit violations. Since we are under a Director's Order, I cannot say whether the TDEC will show leniency for these violations, even with the inclement weather. On the positive side, when this type of weather happened in the past, our plant could not handle all the extra volume from snow melt and faucet dripping. Residents and aldermen may remember the plant began to smell because there simply was not adequate treatment time at those flow rates. This year, we weathered the storm far better, and even at higher volumes while experiencing equipment failure, we retained adequate treatment. This resulted in no obnoxious odors, no more than usual anyway. Also of note, Clayton Perry and Randall Andrews both attained their cross-connection certification in January. Although they are both still working towards WW III and CS II certifications, we are proud of their accomplishment,

**PAGE
INTENTIONALLY
BLANK**

**Town of Oakland
Water Department Monthly Report
February 2026**

Water Production

- Total water treated and pumped: **45.3 million gallons**
- **24% increase** compared to the same period last year, primarily due to a winter storm event
- Storm event totals:
 - Total pumped: **16,634,500 gallons**
 - Average daily production: **1,848,278 gallons**
 - Maximum single-day production: **1,988,300 gallons**
- No major issues occurred during the storm
- Minor issue at **Well 4**; resolved and returned to service
- **5 customer leak calls** responded to during the storm (lower than previous cold-weather events)

Leak Repairs

- **25 Buckingham Court**
 - Repaired 2-inch water main on **January 18, 2026**
- **3395 Tomlin Road**
 - Replaced service saddle on 8-inch water main on **February 7, 2026**
- Both repairs occurred outside normal business hours
- Staff responded promptly; water service interruptions were limited

Sampling / Compliance

- Daily testing performed: chlorine, phosphate, CO₂, alkalinity, pH
- Additional required sampling: **15 bacteriological samples**
- All bacteriological samples **negative for total coliform bacteria**
- Sampling conducted in accordance with **TDEC** requirements

Daily Operations

- **271 locate tickets** completed
- **105 work orders** completed
- No cut-off list worked in January due to the winter storm

**PAGE
INTENTIONALLY
BLANK**

Oakland Parks and Recreation Monthly Report

January

Rentals: Temporarily Closed

Other News:

In January there was a lot of concentration on the New Park. Me and the site Supervisor have had some great conversations about the progress. Last month they did a majority of the fence work surrounding the park as well as the brick work on all of the entrances. They have done dirt work and laid sod on the surrounding areas of the fields, and they have actually started laying sod on on of the fields. there is still a lot of concrete work that has to be completed inside of the fences, but the are waitiing to do that once heavy machinery is no longer needed and done with their work. I was able to provide some pictures with my report this month to show all of you. There is still work being done on the concession stand, and I am hoping to have more pictures of the progress of that in March's meeting.

**PAGE
INTENTIONALLY
BLANK**

| INSPECTIONS | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE | TOTAL |
|-------------------------------|------------|------------|------------|------------|------------|------------|------------|----------|-------|-------|-----|------|--------------|
| SEWER | 11 | 11 | 16 | 11 | 10 | 21 | 22 | | | | | | 102 |
| FOOTING | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| ROUGH-IN PLUMBING | 12 | 13 | 14 | 10 | 10 | 22 | 22 | | | | | | 103 |
| BRICK TIE | 15 | 15 | 6 | 16 | 16 | 12 | 16 | | | | | | 96 |
| SLAB | 4 | 0 | 3 | 4 | 1 | 0 | 2 | | | | | | 14 |
| HOLD DOWN | 16 | 17 | 12 | 13 | 7 | 17 | 16 | | | | | | 98 |
| FRAMING | 21 | 24 | 11 | 19 | 12 | 9 | 30 | | | | | | 126 |
| TOP OUT | 23 | 14 | 13 | 15 | 12 | 12 | 20 | | | | | | 109 |
| MECHANICAL TEMP. | 21 | 18 | 8 | 13 | 8 | 8 | 22 | | | | | | 98 |
| SHEATHING | 16 | 17 | 12 | 15 | 7 | 17 | 16 | | | | | | 100 |
| ROUGH-IN GAS | 12 | 18 | 13 | 13 | 11 | 14 | 17 | | | | | | 98 |
| SITE | 9 | 7 | 4 | 8 | 12 | 8 | 25 | | | | | | 73 |
| FINAL PLUMBING | 23 | 24 | 16 | 30 | 10 | 12 | 10 | | | | | | 125 |
| FINAL GAS | 23 | 3 | 16 | 3 | 0 | 0 | 10 | | | | | | 55 |
| MECHANICAL FINAL | 16 | 25 | 18 | 33 | 17 | 9 | 11 | | | | | | 129 |
| CARPENT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| STORAGE SHED | 3 | 1 | 1 | 3 | 0 | 0 | 0 | | | | | | 8 |
| CERT. OF OCCUPANCY | 30 | 22 | 25 | 34 | 16 | 11 | 8 | | | | | | 146 |
| PATIO COVER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| POOL | 0 | 0 | 2 | 1 | 2 | 1 | 0 | | | | | | 6 |
| Generator | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| IRRIGATION | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| Deep Seal Trap/Backflow | 3 | 2 | 1 | 1 | 1 | 3 | 1 | | | | | | 12 |
| Demo | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| Excavation | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| Shower Pan | 15 | 7 | 11 | 8 | 14 | 11 | 7 | | | | | | 73 |
| Insulation | 21 | 15 | 11 | 15 | 14 | 11 | 18 | | | | | | 105 |
| Drywall | 22 | 19 | 9 | 12 | 15 | 6 | 13 | | | | | | 96 |
| cell tower upgrade | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| Water Heater | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| Venthood | 1 | 1 | 0 | 0 | 0 | 0 | 0 | | | | | | 2 |
| Fire Inspection | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | 0 |
| TEMP CO | 0 | 0 | 0 | 0 | 0 | 0 | 1 | | | | | | 1 |
| U&O | 1 | 2 | 3 | 3 | 2 | 6 | 0 | | | | | | 17 |
| FINAL GENERIC (FENCE,SHED) | 1 | 23 | 4 | 6 | 1 | 15 | 2 | | | | | | 52 |
| COMMERCIAL ABOVE CEILING BLDG | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | | | | 1 |
| COMMERCIAL ABOVE CEILING MECH | 0 | 0 | 1 | 0 | 0 | 0 | 0 | | | | | | 1 |
| COMMERCIAL ABOVE CEILING PLUM | 0 | 0 | 0 | 0 | 0 | 0 | 1 | | | | | | 1 |
| TOTAL INSPECTIONS | 319 | 298 | 231 | 286 | 198 | 225 | 290 | | | | | | 1,847 |

**PAGE
INTENTIONALLY
BLANK**



MONTHLY FIRE DEPARTMENT REPORT
1/8/ 2026-----2/11/2026

The Oakland Fire Department responded to (184) calls of need, we did noted an increase in our call volume because of the weather event, but Oakland Fire was well prepared for the potential problems that could present, (AND THEY DID) but we had staffed with extra personnel, and the command staff was mobile for the onset of the storm on Friday till mid-week the following week. All our apparatus and equipment were set up to operate as an independent units because we expected multiple calls at the same time and we were not disappointed, from pulling Ambulances out of snow drifts to just towing them down the street to the scene, and we ended up transporting patients in our units from the scene to waiting ambulances.

We did face long wait times for Ambulances at points either because there was no Ambulances available or they were stuck in the snow, but at the end of the event we took care of all our patients and taxpayers.

The Fire Department responded to several water leaks and oxygen calls.

The Oakland Fire Department wants to congratulate Fayette County Emergency Management agency on the outstanding coordination of all Towns-Cities-County resources and communications, and to our own Oakland Town Departments for a job well done.

Oakland Fire Department has started its yearly commercial Fire Inspections that will continue till all our businesses have been touched and beamed safe for our citizens.


The Department is preparing to administer testing for promotion of Lieutenant, and to form a new out of rank list.

Respectfully submitted,



Stephen J. Walls. NRP
Chief of Department

FDR-IR: Incident Count by Primary Incident Group



| PRIMARY INCIDENT GROUP | COUNT | PERCENT OF TOTAL |
|------------------------|------------|------------------|
| Fire | 6 | 3.26% |
| Hazardous Situation | 5 | 2.72% |
| Medical | 142 | 77.17% |
| Public Service | 16 | 8.70% |
| Rescue | 1 | 0.54% |
| No Emergency | 14 | 7.61% |
| Total | 184 | 100.00% |

**PAGE
INTENTIONALLY
BLANK**

OAKLAND POLICE DEPARTMENT

STATS

CITY BOARD MEETING

February 19, 2026

REPORTING WEEKS OF January 5th thru February 8th, 2026

| <u>Current</u> | <u>Previous Month</u> |
|-------------------------|-----------------------|
| CITATIONS – 281 | 278 |
| Charges – 334 | 340 |
| WARNINGS- 174 | 160 |
| OFFENSE REPORTS – 87 | 64 |
| ARREST – 29 | 21 |
| CALLS FOR SERVICE – 253 | 192 |

OAKLAND POLICE DEPARTMENT

STATS

CITY BOARD MEETING

February 19, 2026

REPORTING WEEKS OF January 5th thru February 8th, 2026

REPORTS

| <u>Current</u> | <u>Previous Month</u> |
|-------------------------------|-----------------------|
| DRUG - 5 | 1 |
| DUI - 2 | 3 |
| ASSAULT / DISTURBANCE - 23 | 19 |
| THEFT / VANDALISM - 14 | 11 |
| TRAFFIC - 29 | 25 |
| OTHER - 3 | 1 |
| HARRASMENT - 6 | 3 |
| INVESTIGATIVE SUPPLEMENTS - 5 | 1 |

ARREST

| | |
|--------------|---|
| DRUG - 5 | 1 |
| DUI - 2 | 3 |
| ASSAULT - 10 | 8 |
| THEFT - 10 | 8 |
| WARRANTS - 1 | 1 |
| TRAFFIC - 1 | 0 |
| OTHER - 0 | 0 |

Citation Stats

OAKLAND POLICE DEPARTMENT

DATE: 02/12/2026

TIME: 09:54:41AM

Dates From: 1/5/2026 Thru: 2/8/2026

| Charge | Description | Count | % To |
|-----------|--|-------|-------|
| 15-604 | BLOCKING/DRIVE | 3 | 1.00 |
| 55-9-602 | CHILD:RESTRAINT LAW | 1 | 0.00 |
| 1191 | CITY ORDINANCE | 2 | 1.00 |
| 15-7-03 | CITY ORDINANCE IMPROPER PARKING | 1 | 0.00 |
| 55-8-110 | DISREGARD RED LIGHT | 2 | 1.00 |
| 55-8-149 | DISREGARD STOP SIGN | 38 | 11.00 |
| 55-12-127 | FAIL TO SURRENDER AUTO LICENSE OR REGIST | 5 | 1.00 |
| 55-9-407 | FAILURE TO DIM HEADLIGHTS | 1 | 0.00 |
| 55-8-123 | FAILURE TO DRIVE WITHIN LANE | 3 | 1.00 |
| 55-8-136 | FAILURE TO EXERCISE DUE CARE | 3 | 1.00 |
| 55-8-130 | FAILURE TO YIELD RIGHT OF WAY | 2 | 1.00 |
| 55-8-124 | FOLLOWING IMPROPERLY | 3 | 1.00 |
| 55-9-406 | HEADLIGHTS/PROPER USE | 1 | 0.00 |
| 55-4-110 | IMPROPER DISPLAY OF TAGS | 2 | 1.00 |
| 55-9-402 | LIGHT LAW | 2 | 1.00 |
| 55-50-301 | NO DRIVER LICENSE | 15 | 4.00 |
| 1184 | ONE BRAKE / TAIL LIGHT | 3 | 1.00 |
| 55-9-402A | ONE HEAD LIGHT | 3 | 1.00 |
| 55-8-122 | ONE WAY ROAD | 4 | 1.00 |
| 55-8-161 | PARKING VIOLATIONS | 22 | 7.00 |
| 55-21-108 | PKG IN HANDICAP ZONE | 3 | 1.00 |
| 55-4-104 | REGISTRATION LAW | 21 | 6.00 |
| 55-9-603 | SEATBELT LAW | 1 | 0.00 |
| 1193 | SLOW POKE LAW | 1 | 0.00 |
| 55-8-152 | SPEEDING | 156 | 47.00 |
| 55-12-139 | ST. FINANCIAL RESP. LAW | 27 | 8.00 |
| 55-8-199 | TEXTING/DRIVING WHILE DRIVING | 2 | 1.00 |
| 55-50-304 | TN LICENSE REQUIRED 30DAY RESIDENCY | 2 | 1.00 |
| 55-3-102 | UNREGISTERED VEHICLE | 3 | 1.00 |
| 15-405 | U-TURN MUNICIPAL CODE | 1 | 0.00 |
| 55-4-101 | VIOLATION REGISTRATION/NO TAG/WRONG TAG | 1 | 0.00 |

Count: 334